

**THE TRUCK YOU KNOW.  
THE TRUCK YOU TRUST.  
WITH MINIMUM CHANGES IN BS6.**

**SO THAT YOU FOCUS ON GROWING YOUR  
BUSINESS, NOT WORRYING ABOUT BS6.**



Mahindra  
**BLAZO X**



MAHINDRA  
**BLAZO X**

## BS6 MULTI-AXLE TRUCKS; THAT TOO WITH MINIMAL CHANGES.

The Mahindra BLAZO X guarantees outperformance with its unmatched Fuel Efficiency and proven FuelSmart technology. Its sturdy build is enhanced with robust features such as a powerful driveline configuration and a top of the line cabin for maximum comfort. What's more. This powerful truck is backed by Mahindra unbeatable guarantees of service and spares, assurance of higher mileage, making the BLAZO X the best choice in the HCV multi-axle vehicle segment.

### THE CRDe ADVANTAGE



### THE SMART WAY TO SAVE FUEL



### THE HEART OF SMART



### KNOWN AND TRUSTED ENGINE IN THE NEW ERA



- Higher FLAT Torque range leading to lesser gear shifts
- iMAXX the most accurate integrated telematics with 3 YEARS free subscription
- No change in oil drain intervals, lowers maintenance cost further
- Get triple the peace of mind with MCOVER, MAASHRAY and MTRUST
- Availability of spare parts and ease of servicing
- It's a true upgrade from BS4 as 90% parts are the same
- 6 YEARS/ 6 Lakh km (6000 Hours for Tippers) Transferable Warranty\*

\*For more details of this guarantee, visit [www.mahindratruckandbus.com](http://www.mahindratruckandbus.com).




UNDISPUTED HIGHER MILEAGE AND RUGGED AGGREGATES FOR HIGHER UPTIME



LOWEST LIFE CYCLE COST FROM DAY 1



HIGHEST LIFETIME VALUE



**MAHINDRA BS6 AFTER TREATMENT SYSTEM.**  
LOWER AdBlue CONSUMPTION MEANS HIGHER EARNINGS.

**BLAZO X 28 BS6**

**EXTRA MILEAGE. EXTRA PARCELS. EXTRA PROFITS.**

- Next-Gen features and improved cabin for better productivity



SPECIFICATION	BLAZO X 28 CARGO BS6
GVW	28000 kg
Engine	mPower 7.2 litre FuelSmart
Max. Power	206 kW @ 2200 r/min
Max. Torque	1050 Nm @ 1200-1700 r/min
Wheelbase	5000 mm/ 5350 mm/ 6600 mm
Gear Box	Eaton 6 Speed
Clutch (Diameter)	395 mm Diaphragm with clutch wear indicator organic type
Gradeability	22.90%
Suspension - Front	Semi Elliptical Leaf Spring with Shock Absorber
Suspension - Rear	Bell Crank Type Suspension
Rear Axle	Solo Banjo Type Single Reduction
Tyres	STD : 295/ 90R20 + 10R20
Fuel Tank Capacity	415 litre
AdBlue® Tank Capacity	50 litre
Chassis Cross Section (mm)	285 X 70 X 8.5*
Steering	Hydraulic Power Assist Tilt & Telescopic
Brakes	Full Air S Cam Dual circuit ABS 10 BAR system
System Voltage	24 V (2X12)
Battery Rating	150 Ah
Cabin	Sleeper Cabin (AC Optional)
Max. Speed	80 km/h (Regulated)
Min. Ground Clearance	264 mm
Body Size	6705.6 mm/ 7315.2 mm/ 9448.8 mm
ATS System	BS6 Compliant ATS with DOC/ DPF + SCR/ ASC

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)

\*9.5 mm thickness for 6600 Wheelbase



**BLAZO X 35 BS6 LIFT AXLE**

**EXTRA MILEAGE. EXTRA SAVINGS. NOW THAT'S A TRUE WINNER!**

- Next-Gen features and improved cabin for better productivity
- Better payload capacity
- Heavy duty gearbox



SPECIFICATIONS	BLAZO X 35 LIFT AXLE BS6
GVW	35000 kg
Engine	mPOWER 7.2 litre FuelSmart
Max. Power	206 kW @ 2200 r/min
Max. Torque	1050 Nm @ 1200 to 1700 r/min
Wheelbase	5600 mm/ 6100 mm
Gear Box	Eaton 6 Speed
Gradeability	20.70%
Suspension - Front	Parabolic
Suspension - Rear	Bell Crank Type Suspension
Rear Axle	Single reduction, fully floating axle shaft
Tyres	295/ 90R20 + 10R20 (Tube Radial Mixed)
Fuel Tank Capacity	415 litre
AdBlue® Tank Capacity	50 litre
Chassis Cross Section (mm)	285 x 70 x 8.5 with Reinforcement
Steering	Tilt & Telescopic Power Steering
Brakes	Full Air S Cam, 10 Bar System, ABS
System Voltage	24 V (2x12)
Cabin	Sleeper Cabin (AC Optional)
Max Speed	80 km/h (With Speed Limiter)
Load body length (CBC)	7315 mm/ 8534 mm/ 9448.8 mm
ATS System	BS6 Compliant ATS with DOC/ DPF + SCR/ ASC

#Accessories shown may not be part of standard fitment.

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)





# BLAZO X 35 BS6


**DELIVERS EXTRA LOADS AND FOOD GRAINS WITHOUT GETTING FUEL-THIRSTY.**

- Next-Gen features and improved cabin for better productivity
- Better payload capacity



SPECIFICATION	BLAZO X 35 CARGO BS6
GVW	35000 kg
Engine	mPower 7.2 litre FuelSmart
Max. Power	206 kW @ 2200 r/min
Max. Torque	1050 Nm @ 1200-1700 r/min
Wheelbase	6100 mm
Gear Box	Eaton 6 Speed
Clutch (Diameter)	395 mm Diaphragm with clutch wear indicator organic type
Gradeability	20.70%
Suspension - Front	Twins Steer- Semi Elliptical Leaf Spring with Shock Absorber
Suspension - Rear	Bell Crank Type Suspension
Rear Axle	Solo Banjo Type Single Reduction
Tyres	STD : 295/ 90R20 + 10R20
Fuel Tank Capacity	415 litre
AdBlue® Tank Capacity	50 litre
Chassis Cross Section (mm)	285 X 70 X 8.5 with Reinforcement
Steering	Hydraulic Power Assist Tilt & Telescopic
Brakes	Full Air S Cam Dual circuit ABS 10 BAR system
System Voltage	24 V (2X12)
Battery Rating	150 Ah
Cabin	Sleeper Cabin (AC Optional)
Max. Speed	80 km/h (Regulated)
Min. Ground Clearance	264 mm
Body Size	7314 mm/ 7924 mm/ 9448.8 mm
ATS System	BS6 Compliant ATS with DOC/ DPF + SCR/ ASC

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)



# BLAZO X 42 BS6 TAG AXLE

**PERFECT FOR FUEL HIGHER ECONOMY. PERFECT FOR EXTRA LOADS. ESPECIALLY CEMENT TRANSPORTATION.**

- Lower TCD for better manoeuvrability
- Tag axle for increased tyre life
- Next-Gen features and improved cabin for better productivity
- Better payload capacity



SPECIFICATION	BLAZO X 42 CARGO BS6
GVW	42000 kg
Engine	mPower 7.2 litre FuelSmart
Max. Power	206 kW @ 2200 r/min
Max. Torque	1050 Nm @ 1200-1700 r/min
Wheelbase	6100 mm/ 6770 mm
Gear Box	Eaton 6 Speed
Clutch (Diameter)	395 mm Diaphragm with clutch wear indicator organic type
Gradeability	19.60%
Suspension - Front	Tag - Semi Elliptical Leaf Spring with Shock Absorber
Suspension - Rear	Bell Crank Type Suspension
Rear Axle	Solo Banjo Type Single Reduction
Tyres	STD : 295/ 90R20 + 10R20
Fuel Tank Capacity	415 litre
AdBlue® Tank Capacity	50 litre
Chassis Cross Section (mm)	285 X 70 X 8.5 with Reinforcement
Steering	Hydraulic Power Assist Tilt & Telescopic
Brakes	Full Air S Cam Dual circuit ABS 10 BAR system
System Voltage	24 V (2X12)
Battery Rating	150 Ah
Cabin	Sleeper Cabin (AC Optional)
Max. Speed	80 km/h (Regulated)
Min. Ground Clearance	264 mm
Body Size	8564 mm/ 9448.8 mm
ATS System	BS6 Compliant ATS with DOC/ DPF + SCR/ ASC

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)



# BLAZO X 42 BS6 PUSHER AXLE

**GIVE YOUR BUSINESS THAT EXTRA PUSH.**

- Next-Gen features and improved cabin for better productivity
- Better payload capacity



SPECIFICATIONS	BLAZO X 42 PUSHER AXLE BS6
GVW	42000 kg
Engine	mPOWER 7.2 litre FuelSmart
Max. Power	206 kW @ 2200 r/min
Max. Torque	1050 Nm @ 1200-1700 r/min
Wheel Base	6770 mm
Gear Box	Eaton 6 Speed
Gradeability	19.60%
Suspension Front	Parabolic Leaf Spring with Shock Absorber
Suspension Rear	Bell Crank Type Suspension
Wheels & Tyres	295/ 90R 20 + 10R20 (Tube Radial Mixed)
Fuel Tank	415 litre
AdBlue® Tank Capacity	50 litre
Steering	Tilt & telescopic Power Steering
Brakes	Full air S-Cam, 10 bar System
System Voltage	24 V (2X12)
Variants	Cabin
Load Body Length	8534 mm
Cabin	Sleeper Cabin (AC Optional)
Max. Geared Speed	80 km/h (with Speed Limiter)
Tipper Chassis	Tipper CBC Chassis with PTO available.
ATS System	BS6 Compliant ATS with DOC/ DPF + SCR/ ASC * Only Avl in CBC & CWC

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)



# BLAZO X 49 BS6

**EXTRA MILEAGE, EXTRA PAYLOAD, EXTRA PROFITS.**

- Next-gen features and improved cabin for better productivity.



SPECIFICATION	BLAZO X 49 CARGO BS6
GVW	49000 kg
Engine	mPOWER 7.2 litre FuelSmart
Max. Power	206 kW @ 2200 r/min
Max. Torque	1050 Nm @ 1200-1700 r/min
Wheelbase	6770 mm
Gear Box	Eaton 9 Speed
Clutch (Diameter)	395 mm Diaphragm with clutch wear indicator organic type
Gradeability	25.10%
Suspension - Front	Parabolic Leaf Spring with Shock Absorber
Suspension - Rear	Bell Crank Type Suspension
Rear Axle	Solo Banjo Type Single Reduction
Tyres	STD : 295/ 90R20 + 10R20
Fuel Tank Capacity	415 litre
AdBlue® Tank Capacity	50 litre
Chassis Cross Section (mm)	285 X 70 X 8.5 with Reinforcement
Steering	Hydraulic Power Assist Tilt & Telescopic
Brakes	Full Air S Cam Dual circuit ABS 10 BAR system
System Voltage	24 V (2X12)
Battery Rating	150 Ah
Cabin	Sleeper Cabin (AC Optional)
Max. Speed	80 km/h (Regulated)
Min. Ground Clearance	264 mm
Body Size	9448.8 mm
ATS System	BS6 Compliant ATS with DOC/ DPF + SCR/ ASC

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)





# MORE SAFETY, MORE COMFORT, MORE TRIPS, MORE PROFITS.

Mahindra BLAZO X is one of the most comfortable truck in India. It's built with the knowledge that drivers are the actual wheels of Indian transport and they spend half their lives inside the cabin. Which is why this truck comes with a host of features to make every drive more safe and comfortable. Like the 4-point suspended cabin that truly enhances driving comfort. And the controls that are ergonomically located to reduce effort inside the cabin.



A WORLD-CLASS DRIVING EXPERIENCE



6-SPEED GEAR SHIFT

9-SPEED GEAR SHIFT

ANTI-LOCK BRAKING SYSTEM



COMFORTABLE SLEEPER BERTHS

Note: In view of our policy of continuously improving our products, we reserve the right to alter specifications or design without prior notice and without liability. Illustrations do not necessarily show the vehicle in its standard form. Accessories shown are not part of the standard equipment. Colour shades shown may vary. E. & O.E.



TILT & TELESCOPIC STEERING

DRIVER INFORMATION SYSTEM



COMFORTABLE 3-WAY ADJUSTABLE SEATS

# TECHNOLOGY THAT MAKES BLAZO X THE FRONT-RUNNER.

RUGGED AND PROVEN AGGREGATES FOR THE MOST UNPREDICTABLE CONDITIONS.



COMPOSITE HEADLAMPS



FRONT FACIA WITH WIDER GRILL



LIFT AXLE WITHOUT FULL LOAD



RADIAL TYRES



LIFT AXLE WITH FULL LOAD



STRONGER CHASSIS FRAME



REFINED CLUTCH SYSTEM



EFFECTIVE BRAKING SYSTEM



BIGGER HDPE DIESEL TANK



HIGHER CAPACITY BATTERY



HIGHER SERIES PROPELLER SHAFT IN TIPPERS



HIGHER SERIES PROPELLER SHAFT IN HAULAGE





**TRACK YOUR TRUCK FROM ANYWHERE  
WITH MAHINDRA iMAXX TELEMATICS TECHNOLOGY.**

## KEY FEATURES

**100% RELIABILITY** Mahindra iMAXX is backed by artificial intelligence so you get accurate results every day.

**ZERO DATA LOSS** It's equipped with a bigger battery and memory to store data. In addition, it also works on all generations - 4G, 3G and even 2G network.

**PERSONALISATION** As your business evolves, so does our technology to suit all your needs.

**SMART REPORTS** Gives analytical insights and reports regularly to monitor and grow your business.



## OUR GUARANTEES

**GET BACK ON ROAD IN 48 HOURS**  
OR GET Rs. 1 000.00 PER DAY.

**GUARANTEED AVAILABILITY OF 250 FAST MOVING MAINTENANCE PARTS AT MPARTS PLAZA OR ELSE THEY ARE YOURS FOR FREE.**

**OUR SERVICE WILL REACH YOU IN 2 HOURS ON THE MUMBAI-DELHI CORRIDOR OR IN 4 HOURS ON THE KASHMIR-KANYAKUMARI CORRIDOR. OR WE WILL GIVE YOU Rs. 500.00 PER HOUR.**

**GET THE 250 CRITICAL SPARES YOU WANT AT OUR DEALERSHIP OR GET THEM FREE.**



**MAHINDRA AASHRAY MAKES EVERY MOMENT CAREFREE.**



**Mahindra MCOVER Makes You Feel 3 Times More Secure.**



- UP TO 12 MONTHS WARRANTY\* • 1/2/3 STAR RATINGS\*
- UP TO 3 FREE SERVICES\* • ROADSIDE ASSISTANCE\*
- REFINANCE OPTIONS\*

For details, please contact: 1800 200 3635



Corporate: [contactmb@mahindra.com](mailto:contactmb@mahindra.com)  
Customer Care: [now24x7@mahindra.com](mailto:now24x7@mahindra.com)



[www.mahindratruckandbus.com](http://www.mahindratruckandbus.com)



Mahindra & Mahindra Ltd.,  
Truck and Bus Division, Marketing Division,  
2nd Floor, Mahindra Towers, Worli, Mumbai 400 018.



SMS 'MTB' to 56767



**MOBILE SERVICE VANS & WORKSHOPS**



**COUNTRY-WIDE SPARES & SERVICE NETWORK**

Note: In view of our policy of continuously improving our products, we reserve the right to alter specifications or design without prior notice and without liability. Illustrations do not necessarily show the vehicle in its standard form. Accessories shown are not part of the standard equipment. Colour shades shown may vary. E. & O.E.

DEALER STAMP



\*For more details of this guarantee, visit [www.mahindratruckandbus.com](http://www.mahindratruckandbus.com)